

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listing, of claims in the application:

1. (Currently Amended) A portable WAP-enabled diagnostic device for troubleshooting a WAP network having a plurality of elements, the diagnostic device, comprising:

a housing;

a processor located within the housing, wherein the processor includes:

a microbrowser module configured for communicating with an external source of information including a WAP network undergoing troubleshooting; and

a diagnostic module configured for analyzing information associated with elements of the WAP network in a predetermined sequence configured to emulate a sequence of a process flow of signals through the elements of the WAP network undergoing diagnosis by the portable diagnostic device;

an input device located on the housing and coupled to the processor; and

a display screen located on the housing and coupled to the processor to display information pertaining to operating parameters of the WAP network undergoing diagnoses.

2. (Cancelled)

3. (Previously Presented) The portable diagnostic device of claim 1, wherein the WAP network includes a mobile communication network in selective communication with a data network configured for communication with the mobile communication network and the Internet, and the microbrowser is operative for communication with the WAP network.

4. (Original) The portable diagnostic device of claim 3, wherein the mobile communication network includes a device selected from the group of devices consisting of a base substation, a mobile switching center, an interworking function, and a remote access server.

5. (Original) The portable diagnostic device of claim 3, wherein the data network includes a device selected from the group of devices consisting of an Internet protocol router, a remote access dial-in user services server, a WAP server, an authentication server, and a domain name server.

6. (Original) The portable diagnostic device of claim 1, wherein the external source of information includes a server connected to the Internet.

7. (Cancelled)

8. (Original) The portable diagnostic device of claim 1, wherein the input device includes an input device selected from the group consisting of a keypad, a mouse, a trackball, and a touch screen.

9. (Original) The portable diagnostic device of claim 1, wherein the display screen includes a display screen selected from the group consisting of an LCD display screen, a passive matrix display screen, and a TFT active matrix display screen.

10. (Original) The portable diagnostic device of claim 1, further comprising a power source located within the housing and coupled to the processor.

11. (Original) The portable diagnostic device of claim 1, further comprising a radio frequency transceiver located within the housing and coupled to the processor.

12. (Original) The portable diagnostic device of claim 11, wherein the radio frequency transceiver includes an antenna originating within the housing and protruding therefrom.

13. (Original) The portable diagnostic device of claim 1, further comprising a modem located within the housing and coupled to the processor.

14. (Original) The portable diagnostic device of claim 1, further comprising a speaker located within the housing and coupled to the processor.

15. (Original) The portable diagnostic device of claim 1, further comprising a microphone located within the housing and coupled to the processor.

16. (Original) The portable diagnostic device of claim 1, further comprising a memory device located within the housing and coupled to the processor.

17. (Original) The portable diagnostic device of claim 16, wherein the memory device includes a volatile memory.

18. (Original) The portable diagnostic device of claim 17, wherein the volatile memory includes a random access memory.

19. (Original) The portable diagnostic device of claim 16, wherein the memory device includes a non-volatile memory.

20. (Original) The portable diagnostic device of claim 19, wherein the non-volatile memory includes an electrically erasable programmable read only memory.

21. (Cancelled)

22. (Currently Amended) A computer-readable medium having stored thereon a set of instructions which, when executed by a processor, cause the processor to ~~perform the steps of:~~

~~requesting~~ request information from an external source associated with an element of a WAP network;

~~receiving~~ receive the requested information from the external source element of the WAP network ~~associated with the~~; and

~~analyzing~~ analyze the received information in a predetermined sequence to emulate a process flow of signals through elements of the WAP network for diagnosis of the WAP network.

23 - 24. (Cancelled)

25. (Currently Amended) The computer-readable medium of claim 22, wherein ~~the~~ receiving the requested information from an element of the WAP network includes receiving the requested information from an element of the WAP network via a server connected to the Internet.

26. (Currently Amended) A method for troubleshooting a WAP network, the method comprising:

requesting information associated with the connectivity status of an element of the WAP network;

receiving the requested information from the element of the WAP network; and

analyzing the received information in a predetermined sequence to emulate a sequence of a process flow of signals through the element of the WAP network, for diagnosis of the WAP network element.

27 - 29. (Cancelled)

30. (Original) The method of claim 26, wherein the receiving the requested information includes receiving the requested information from a server connected to the Internet.